Approved For Release 2003/01/09 : CIA-RDP69B00044R001000030012-2

TOPSÈCRET

2 EV	1
ノコス	- 1

TN 68728

OPS 1-10BF

25X1

IN 00120	012 1-15/00	H S
The state of the s	AND STATE OF THE S	The same was a second
TOPSE CRET 190 600Z CITE	Çeyer	25X1
IMMEDIATE INFO		25X1
		25X1
A. BX6729		
B. FILM EVALUATION REPORT	•	
C. TYPE I/F/3147		
D. FULTRON 202/MX-578/1 MIN 4 SEC/78 DEG	REES F.	
E. 2.60/2.60	•	
F. 3404/2156-269-4-10-6/DNA		
G. (1) GOOD		
(2) GOOD	· .	
(3) MEDIUM	•	
(4) GOOD		
(5) OPERATIONAL		
(6) NORMAL	÷	
(7) OVERALL CLOUD COVER APPROX FIVE	PERCENT. TRACK SEC	MENT
TI APPROX 5 PERCENT AND TE APPROX 5 PERCE	ENT	
U O N DISPOSITION TO	The second secon	

T 0 P S E C R E T
Approved For Release 2003/01/09 : CIA-RDP69B00041R001000030012-2

Approved For Release 2003/01/09 : CIA-RDP69B00041R001000030012-2

25X1

IN68728	
---------	--

TOPSECRET

PAGE 2

- 3 DUPE/POS TO NATIONAL CUSTOMERS
- 6 DUPE/POS TO THEATER CUSTOMERS
- 1 DUPE/NEG TO THEATER CUSTOMER

NORMAL START-UP AND SHUT-DOWN WITH SHUTTLE MOTION. BETWEEN L FRAMES 1-20. TIMING MARKS ON LEADING EDGE APPEAR UNDER EXPOSED ON ALL FORWARD FRAMES. CLOCK IS FORWARD DATA CHAMBER ENTERED IMAGE AREA 1/4 INCH INTERMITTENTLY THROUGHOUT MISSION AND APPEARED OUT OF FOCUS OCCASSIONALLY. A 4 DEGREE DEVIATION FROM PERPENDICULAR WAS NOTED WITH RESPECT TO DATA CHAMBER. TIMING MARKS APPEARED IN DASH FORM IN AFT LEADING EDGE THROUGH OUT ENTIRE MISSION. CAMERA SEVERAL PLUS DENSITY STREAKS WERE RECYCLED IN FRAMES 482-510. NOTED INTERMITTENTLY THROUGHOUT THE MISSION, NOT EXTENDING BETWEEN FRAMES. A MINUS DENSITY LINE, 1 1/4 INCHES FROM TRAILING EDGE APPEARED ON ALL AFT FRAMES. HANDLING SCRATCHES WERE NOTED AROUND FILM SPLICES. A SMALL EMULSION SCRATCH, I 1/2 INCHES FROM TRAILING EDGE APPEARED IN PART ONE. MINUS DENSITY LINE; 1 1/4 INCHES FROM TRAILING EDGE ON ALL AFT FRAMES.

TOPSECRET TOR: 190653Z OCT 67

TOPSECRET

Approved For Release 2003/01/09 : CIA-RDP69B00 R001000030012-2 1.379 49.75 25X1 IN 68706 CHI 25X1 190530Z CITE ET 25X1 INFO IMMEDIATE 25X1 25X1 BX 6729, 18 OCT 67 CAMERA ON & OFF REPORT B. (5) (4) ·(3) (2) TYPE I: (1) C. 025 12743 2623 013230 ⇔5 025 12743 2623 013230 e- 3 Ø25 12743 2623 013230 -1 NR NR NR NR 0001 NR NR NR NR 0003 818 10844 1725 Ø135 Ø8 0005 820 10843 1728 013514 0007 816 10237 2054 015314 481 813 10236 2052 015319 483 811 10234 2049 015325 485 NR NR NR NR 487 025337 489 TOPSECRET

Approved For Release 2003/01/09-: GIA-RDP69B00041R001000030012-2

Approved For Release 2003/01/09 : CIA-RDP69B00941R001000030012-2

25X1

TOPSECRET

IN	68706	PAGE	2

491	NR	หท	NR	NR
493	NR	NŖ	NR	NA
925	031540	1832	10819	820
927	031546	1830	10819	823
929	Ø31551	1827	16856	824

D. LOWER PORTION OF DATA CHAMBER INTERMITTENTLY POORLY RECORDED AND INTERMITTENTLY APPEARED WITHIN IMAGERY. CAMERA CAGED INDICATOR APPAPENT IN FRAMES 285-296. V/H INDICATOR APPEARS INTERMITTENTLY. TO P S E C R E T TOR: 190553Z OCT 67

Next 4 Page(s) In Document Exempt